



## CONTACTLESS Bottle Fillers + Drinking Fountains.

OASIS offers a variety of contactless coolers and bottle fillers. Our contactless products promote safe and hygienic spaces by helping to limit high-use contact points that can harbor dangerous pathogens.



## CONTACTLESS Bottle Filler + CONTACTLESS Drinking Fountain.



**VersaFiller P8EBFTY**  
**VersaFiller PEBFTY**

Contactless, Refrigerated (60 Litres/Hour)  
Contactless, Non-Refrigerated

### Standard Features

- Contactless (Hands Free) Surface Mount Bottle Filler
    - » Hands free activation with shut off timer
    - » Built in bottle counter, filter monitor and programmable time-out feature
    - » Large Alcove to fit most sports bottles
    - » Energy-Efficient LED's illuminate alcove and aid's bottle filling
    - » Built in drain - no drip tray to empty
  - Contactless (Hands Free) Drinking Fountain
    - » Stainless steel top
    - » Basin is designed to eliminate splashing and standing water
    - » Water-saver bubbler reduces waste water by 50%.
    - » Antimicrobial flexible bubbler guard
  - » External stream height adjustment
  - » High efficiency cooling tank and coil
  - » Energy-Efficient refrigeration system powers 'ON' only when in use or if water temp increases during long period of standby
  - » Refrigerant R-134a
  - » Heavy duty galvanized steel frame
  - » Standard finish: brushed stainless steel
  - » Built-in 100 micron strainer stops Particles before they enter the waterway
- ADA compliant for both adult or child when properly installed
  - Waterways are lead-free in materials and construction



### Split-Level option also available

**VersaFiller P8EBFSLTTY**  
**VersaFiller PEBFSLTTY**

Contactless, Refrigerated (60 Litres/Hour)  
Contactless, Non-Refrigerated

## CONTACTLESS Drinking Fountain.



### VersaCooler P8ACTY

Contactless, Refrigerated (60 Litres/Hour)

#### Standard Features

- Contactless (Hands Free) Drinking Fountain
- Stainless steel top
- Basin is designed to eliminate splashing and standing water
- Water-saver bubbler reduces waste water by 50%.
- Antimicrobial flexible bubbler guard
- Sensor equipped for automatic operation
- Water flow stops after 30 seconds if user does not move away



#### Split-Level option also available

### VersaCooler P8ACSLTTY

Contactless, Refrigerated (60 Litres/Hour)

## CONTACTLESS Retrofit Bottle Filler.



### VersaFiller PWEBFY

Contactless, Non-Refrigerated Bottle Filler Retrofit Kit

#### Standard Features

- Contactless (Hands Free) Surface Mount Retrofit Bottle Filler
- Hands free activation with shut off timer
- Built in bottle counter, filter monitor and programmable time-out feature
- Large Alcove to fit most sports bottles
- Energy-Efficient LED's illuminate alcove and aid's bottle filling
- Built in drain - no drip tray to empty
- Heavy duty galvanized steel frame
- Standard finish: brushed stainless steel
- ANSI/NSF 61
- CABO/ANSI A117.1

## CONTACTLESS Surface Mount or Countertop Bottle Filler.



### PWSMEBFY

Contactless, Non-Refrigerated

#### Standard Features

- Surface mount - Slim and space saving design
- Contactless (Hands Free) Bottle Filler
- Hands free activation with shut off timer
- Built in bottle counter, filter monitor and programmable time-out feature
- Large Alcove to fit most sports bottles
- Energy-Efficient LED's illuminate alcove and aid's bottle filling
- Built-in 100 micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials & construction
- Heavy duty steel frame
- Space saver
- Available with optional RLF8Y chiller

## Free Standing CONTACTLESS Bottle Filler.



### QUASAR PF20FSEBQY

Contactless, Refrigerated (150 Litres/Hour) with QUASAR

#### Standard Features

- High-Capacity, contactless (Hands Free) free standing Bottle Filler
- Plastic bottle filler components are infused with an antimicrobial agent to help reduce odors and degradation caused by micro-organisms
- Contactless sensor for touch-free activation
- Built-in LED monitor indicates when filters need changed
- Built in bottle counter tracks the global impact of each refill
- Removable drip tray grill for easy cleaning
- 2-stage filtration system provides great tasting filtered water
- QUASAR UVC-LED dispense point sanitization keeps water and dispense spout sanitary



### PCPEBFY P10CPEBFY QUASAR P10CPEBQY

Contactless, Non-Refrigerated

Contactless, Refrigerated (75 Litres/Hour)

Contactless, Refrigerated (75 Litres/Hour) with QUASAR

#### Standard Features

- Contactless (Hands Free) free standing Bottle Filler
- Plastic bottle filler components are infused with an antimicrobial agent to help reduce odors and degradation caused by micro-organisms
- Contactless sensor for touch-free activation
- Removable drip tray grill for easy cleaning
- 2-stage filtration system provides great tasting filtered water
- QUASAR UVC-LED dispense point sanitization keeps water and dispense spout sanitary (for P10CPEBQY unit only)

## CONTACTLESS Recessed Bottle Filler.



**AQUAPOINTE MW12EBFY** Contactless, Refrigerated (90 Litres/Hour)

**AQUAPOINTE MW8EBFY** Contactless, Refrigerated (60 Litres/Hour)

**AQUAPOINTE MWEBFY** Contactless, Non-Refrigerated

#### Standard Features

- Fully recessed
- Contactless (hands free) sports bottle filler
- Integrated bottle counter & filter monitor
- Built-in 100 micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials & construction
- Heavy duty steel frame
- Space saver
- High efficiency cooling tank and coil (for refrigerated models only)
- Refrigerant R-134a (for refrigerated models only)

## CONTACTLESS Surface Mount Bottle Filler.



**AQUAPOINTE MWSM12EBFY**  
**AQUAPOINTE MWSM8EBFY**  
**AQUAPOINTE MWSMEBFY**

Contactless, Refrigerated (90 Litres/Hour)  
Contactless, Refrigerated (60 Litres/Hour)  
Contactless, Non-Refrigerated

---

### Standard Features

- Surface Mount
- Contactless (hands free) sports bottle filler
- Integrated bottle counter & filter monitor
- Built-in 100 micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials & construction
- Heavy duty steel frame
- Space saver
- High efficiency cooling tank and coil (for refrigerated models only)
- Refrigerant R-134a (for refrigerated models only)

## CONTACTLESS Radii Modular Coolers



**M8WREMY**

Contactless, Refrigerated (60 Litres/Hour)

---

### Standard Features

- Equipped with an electric eye automatic activation
- Flex bubbler
- Antimicrobial copper touch points
- ADA Compliant when installed in an alcove or with right and left wing walls
- Built-in 100 micron strainer stops particles before they enter the waterway
- Lead-free waterways
- Brushed stainless steel finish
- Heavy duty galvanized steel mounting frame
- Water flow stops after 30 seconds if user does not move away
- Bi-level models are field reversible

## CONTACTLESS Modular Coolers



**M8SBEMY**

Contactless, Refrigerated (60 Litres/Hour)

---

### Standard Features

- Equipped with an electric eye automatic activation
- Flex bubbler
- Built-in 100 micron strainer stops particles before they enter the waterway
- Brushed stainless steel finish
- Lead-free waterways
- Heavy duty galvanized steel mounting frame
- Bi-level models are field reversible

# TECH SPEC.



Model	10° C Drinking Water/ 21° C Ambient Air Temp:			Hot 'n' Cold™ Model	220-240 Volts, 50/60HZ:			Auto-Off Water Flow	Net Wt. Approx (kg)	Dimensions (mm)	Dispense Height (mm)
	Rated Capacity LPH	Base Rate LPH	Pre-Cooler		Compr. HP	Full Load Amps	Rated Watts				
P8EBFTY	60	60	No	No	1/4	2.2	457	Yes	31	960(H) x 415(W) x 475(D)	250
PEBFTY	Non-Refrigerated			No	-	0.1	7	Yes	16	960(H) x 415(W) x 475(D)	250
P8EBFSLTTY	60	60	No	No	1/4	2.2	457	Yes	43	960(H) x 895(W) x 475(D)	250
PEBFSLTTY	Non-Refrigerated			No	-	0.1	7	Yes	27	960(H) x 895(W) x 475(D)	250
P8ACTY	60	60	No	No	1/4	2.2	450	Yes	11	480(H) x 450(W) x 475(D)	-
P8ACSLTTY	60	60	No	No	1/4	2.2	450	Yes	38	480(H) x 450(W) x 475(D) (each)	-
PWEBFY	Non-Refrigerated			No	-	0.1	7	Yes	5	480(H) x 415(W) x 145(D)	250
PWSMEBFY	Non-Refrigerated			No	-	0.1	7	Yes	3	630(H) x 415(W) x 145(D)	265
PF20FSEBQY	150	150	No	No	-	7.2	950	Yes	44.5	1525(H) x 385(W) x 415(D)	265
PCPEBFY	Non-Refrigerated			No	-	0.1	7	Yes	-	1250(H) x 300(W) x 300(D)	265
P10CPEBFY	75	75		No	1/4	2.6	500	Yes	-	1250(H) x 300(W) x 300(D)	265
P10CPEBQY	75	75		No	1/4	2.6	500	Yes	-	1250(H) x 300(W) x 300(D)	265
MW12EBFY	90	90	No	No	1/3	3.7	627	Yes	35	1035(H) x 502(W) x 46(D) (287recessed)	265
MW8EBFY	60	60	No	No	1/4	2.2	347	Yes	35	1035(H) x 502(W) x 46(D) (287recessed)	265
MWEBFY	Non-Refrigerated			No	-	0.1	7	Yes	12	1035(H) x 502(W) x 46(D) (287recessed)	265
MWSM12EBFY	90	90	No	No	1/3	3.7	627	Yes	35	1051(H) x 530(W) x 150(D)	265
MWSM8EBFY	60	60	No	No	1/4	2.2	347	Yes	35	1051(H) x 530(W) x 150(D)	265
MWSMEBFY	Non-Refrigerated			No	-	0.1	7	Yes	12	1051(H) x 530(W) x 150(D)	265
M8WREMY	60	60	No	No	1/4	2.2	340	Yes	45	2035(H) x 502(W) x 483(D) (287 recessed)	-
M8SBEMY	-	-	-	No	-	2.2	550	Yes	44	1035(H) x 502(W) x 287(D) (483 recessed)	-

[www.oasis.ie](http://www.oasis.ie)  
[info@oasis.ie](mailto:info@oasis.ie)

## OASIS IRELAND

Bunree Industrial Estate, Ballina,  
Co. Mayo, Ireland, F26 D5R3.  
+353 96 71222

## OASIS POLAND

ul. Gutenberga 20,  
44-164, Gliwice, Poland  
+48 32 332 65 01