



CO₂oler ULTRA

BOTTLE WATER COOLER





CO₂oler ULTRA

Special Features

- PVDC System
- High quality = longevity
- Great quality-performance-price ratio
- WaterGuard

The **CO₂oler ULTRA** uniquely combines the Pressure Vessel Direct Chill cooling system (PVDC) with a CO₂ water mixer. The **CO₂oler ULTRA** exclusively gives you both superb chilling and an excellent carbonation performance.

The intuitive LED illuminated buttons ensures a straightforward user process, while the refreshing sparkling water makes them return for more. WaterGuard offers protection against water leaks from cracked bottles and ensures that air-borne pollutants do not enter the reservoir.

The CO₂ mixer tank is located inside the PVDC cooling tank which helps to maintain the cold water temperature of the carbonated water prior to dispense. The mixer tank has been moulded from FDA & CE approved plastics. As carbonated water is dispensed, the mixer tank is automatically refilled with cold water & CO₂ gas, ensuring that a continuous supply of carbonated water is available.

Codes

- BU1PVECKY
- BU1PVECHSY

Colour Options

- Champagne & Black
- Light Grey & Black
- LUXE LINE:**
- LUXE Silver & White
- LUXE Gold & White





TECH SPEC

Product	CO ₂ oler ULTRA	
Model	BU1PVECKY	BU1PVECHSY
Type	Cook & Cold	Hot & Cold
Weight (kg)	30.5	30.5
Cold Tank Capacity (litres)	1.5	1.5
Hot Tank Capacity (litres)	-	1.5
Dimensions (cm)	110h x 32.5w x 40.5d	110h x 32.5w x 40.5d
Power consumption (Watts)	100	620
Total Current (Amps)	0.8	3
Cold Water Performance (litres/hr)		
21°C ambient	20	20
27°C ambient	-	-
32°C ambient	8.5	8.5
38°C ambient	-	-
Hot Water Performance (litres/hr)	-	7.9

OASIS IRELAND

Bunree Industrial Estate,
Ballina, Co. Mayo, Ireland,
F26 D5R3.
+353 96 71222

OASIS POLAND

ul.Gutenbergga 20,
44-164, Gliwice, Poland
+48 32 332 65 01

www.oasis.ie

info@oasis.ie