



POU1RR

POINT-OF-USE COOLER





POU1RR

Special Features

- REMOVABLE RESERVOIR
- Inside-Out cooling probe
- Efficient and proven technology
- High quality = longevity
- Great quality-performance-price ratio

- Range of hot tanks available

The original iconic design.
The blow-moulded polycarbonate body provides maximum strength.

The 'inside-out' cooling probe design used throughout the entire range of REMOVABLE RESERVOIR coolers ensures a more efficient cooling method, conserving energy and eliminating condensation within the cooler.

The self supporting cooler chassis can be quickly and easily removed from the cabinet to simplify the maintenance and servicing process.

The REMOVABLE RESERVOIR system simplifies the sanitization process - just replace the water contact parts with pre-sanitized components. Requires no replacement of disposable parts or use of messy chemicals at your customer site.

Codes

- POU1RRKY
- POU1RRHSY

Colour Options

- White & Granite
- Grey & Black





TECH SPEC

Product	POU1RR	
Model	POU1RRKY	POU1RRHSY
Type	Cook & Cold	Hot & Cold
Weight (kg)	13.9	14.8
Cold Tank Capacity (litres)	2.2	2.2
Hot Tank Capacity (litres)	-	1.5
Dimensions (cm)	101h x 33w x 33d	101h x 33w x 33d
Power consumption (Watts)	95	600
Total Current (Amps)	0.8	2.4
Cold Water Performance (litres/hr)		
21°C ambient	5.9	5.2
27°C ambient	4.2	3.1
32°C ambient	2.5	2.2
38°C ambient	1.7	1.5
Hot Water Performance (litres/hr)	-	7.9

OASIS IRELAND

Bunree Industrial Estate,
Ballina, Co. Mayo, Ireland,
F26 D5R3.
+353 96 71222

OASIS POLAND

ul.Gutenberga 20,
44-164, Gliwice, Poland
+48 32 332 65 01

www.oasis.ie

info@oasis.ie