


OASIS



FILTRATION





Special Features

- Compatible with most POU units, coffee machines and other drinking water appliances.
- Interchangeable filter media.
- Simple installation.
- Easy maintenance with filter changes every 6 months.
- Two filter housing designs for a perfect fit in any environment.
- Cleaning Cartridge: replace filter media with sanitizing solution to create a cleaning cartridge that can be used to sanitize all water contact surfaces inside your POU machine.
- OUTSIDE-IN filtration for maximum filtration efficiency with a minimal drop in pressure and low risk of blockage.

Standard Equipment

- Flow monitor: Battery powered flow monitor automatically indicates when your filter media need to be replaced.



Improve The Taste & Quality Of Drinking Water.

EZ Clip

EZ CLIP In-line green filter

Connected to flexible water tubing with a simple push-into-place fitting at the top and bottom of the filter. The filter body is secured to the wall by pushing it into a C-Clip. Ideal in situations where simplicity and space are a priority.



Connected to flexible water tubing 1/4"

EZ Turn

EZ TURN Quarter-turn green filter

Connected to flexible water tubing with a simple push-into-place fitting at the water entry and exit valves in the head of the filter. A no-spill valve allows to disconnect the filter body from the filter head without spilling any water.





FILTER MEDIA.

galaxi*



- Combines activated carbon with a cellulose-free synthetic fiber matrix. Performs as a sediment filter and a carbon block in a single cartridge. Reduces CTO, has dirt-holding capacity with a reduced risk of blocking, prevents carbon fines from being released into the water stream, reduces lead, cysts, contains bacteriostatic properties.
- Capacity – 11,400 L.

Sediment



- 100% polypropylene microfibers. Reduces sediments and improves the texture, taste and clarity of your water.
- Dirt holding capacity: 60 gr.

Carbon*



- Activated carbon block filter. Reduces chlorine, taste & odor (CTO) and fine particulates from water.
- Capacity - 3,800 L.

Ceramic



- Silver impregnated ceramic micro filter that removes bacteria and cysts.
- Capacity - 10,000 L.

Carbon/ Lead/ Silver*



- Activated carbon block filter. Reduces CTO, fine particulates and lead from water. Silver acts as a bactericide.
- Capacity - 4,940 L.

remedi*



remedi

- Pleated high fiber surface area non-woven filter media utilizing advanced technology of electro-adhesion capable of removing a wide range of water borne contaminants. remedi is made of Ahlstrom Disruptor® - a non-woven pleated matrix of thermally bonded blend of microglass fibers & cellulose infused with nanoalumina fibers that creates an electro-positively charged depth filter media, infused with Powdered Activated Carbon (PAC). It provides a unique combination of high efficiency, capacity, flow rate & low pressure drop at levels unmatched in today's filtration marketplace. Reduces CTO, pharmaceutical and chemical wastes, heavy metals (copper, iron, lead, tin), cysts, viruses and bacteria.
- Capacity:
 - for CTO: 10,598 L with >50% efficiency, for lead: 1,230 L with +90% efficiency.
 - for pharmaceutical and chemical wastes: 756,400 L, >99.9% (Penicillin G, BPA, Flumequine).
 - for heavy metal: Copper, Iron, Lead, Tin, for cyst: > 99.99% (includes Cryptosporidium and Giardia lamblia).
 - for bacteria: Pseudomonas Aeruginosa, E.coli.
 - for virus: Poliovirus 1, Echovirus 1, Coxsackievirus B5, Adenovirus, MS2.

Filters marked with "*" are available with phosphate additive to reduce scale.

TECH SPEC

Media Type	Micron Rating [µ]	CTO	Scale Reduction	Lead Reductions	Sediment, Rust, Sand, Stones, Particles Removal	Improves Taste & Odor	Cyst Reduction	Bacteriostatic Properties	Removes Viruses	Pharmaceutical & Chemical Waste Removed
Sediment	5	-	-	-	+	-	-	-	-	-
Carbon Block	1	+	-	-	+	+	-	-	-	-
Carbon / Phosphate	1	+	+	-	+	+	-	-	-	-
Carbon / Lead / Silver	0.5	+	-	+	+	+	+	+	-	-
Carbon / Lead / Silver / Phosphate	0.5	+	+	+	+	+	+	+	-	-
Ceramic	0.5	-	-	-	+	-	+	+	-	-
galaxi	0.5	+	-	+	+	+	+	+	-	-
galaxi / Phosphate	0.5	+	+	+	+	+	+	+	-	-
remedi	Equiv. 0.02	+	-	+	+	+	+	+	+	+
remedi / Phosphate	Equiv. 0.02	+	+	+	+	+	+	+	+	+

OASIS IRELAND

Bunree Industrial Estate,
Ballina, Co. Mayo, Ireland,
+353 96 71222

OASIS POLAND

ul. Gutenberga 20,
44-164, Gliwice, Poland
+48 32 332 65 01

www.oasis.ie

info@oasis.ie